Towards the Mechanisms of Naming Disturbance

by A.R. Luria (Moscow)

In a series of papers the outstanding psychologist R.C.Oldfield to whom we pay respect in this issue, discussed one of the most important problem that of the mechanisms of naming and its disturbances in local brain besions. It is just this problem we shall dwell in this paper.

During many decades the theory of naming defects and "amnestic aphasia" remained one of the most obscure parts of neurology.

The classics of neurological sciences discussed as a rule the naming defects from the standpoint of a simple approach to the word as an association of certain sound complexes with an image of an object. That is why naming of an object was considered to be an evokation of this sound complex and disturbances of naming were treated as special defect of memory traces. This concept has to be fundamentally reconsidered.

1. Naming process and its psychophysiological mechanisms
Modern neurolinguistics singler out two basic mechanisms
of the word as a unite of language.

A word designates a certain object, having an immediate significative function; at the same time it includes the object in a system of connections: the last process is known as the coding and it results in a meaning of the word (1).

According that double function of the word two groups of psychological processes are required to name an object.

Firstly - the subject has to single out some basic cues of the object to be named. That requires a clear image of the object from one side and a well organi acoustic structure of the word used as its name. If one of both conditions are deranged normal naming is disturbed. The second condition of naming is a preservation of a complex coding process, otherwise - a clear selective structure of semantic connections of the word.

As we already mentioned the word is a nucleus of a complex semantic system or a multivariate matrix. Thus the word "inkstead" designs an object dealing with ink (or another color tissue), a container etc.; it evokes a whole code of interrelated objects as well as a situation of writing, drowing (desk, paper, pen, school etc.); it can evoke as well a series of words with a monophological similarity (ink-stead; (up-board etc.) or even words with a similar phonetic structure. That is why to find a propper name one has to make a choice between these manifolded connections; in this respect naming requires a decision making.

In cases of simple objects and well impregnated names this process is well automatized; in cases of unfrequent objects and not too-well automatized names it requires a complicated task and sometimes becomes rather difficult. Such cases were carefully studied during the last decade ad the "tip-of-tongue phenomenon" was carefully described (2).

In normal conditions the process of choice does not evoke considerable difficulties: the high selectivity of higher nervous processes provides all necessary condition of an adequate finding of the word: as a rule strong (or significant) traces or connections are evoked easily whereas week (or unsignificant) traces or connections are easily blocked. This is a result of the "low of force", described by Paulov as one of the basic lows

of the flow of higher nervous processes. As well of the high plasticity of nervous processes which make a high selectivity of the psychological processes possible.

All these conditions are severely affected in pathological states of the brain.

As it was shown by Pawlov and his school - pathological states of the cortex result in so-called "inhibitory" states. Strong (or important) stimuli or their traces begin to evoke the same reactions as week (or insignificant) ones, and this equalization of excitability results in a breakdown of the selectivity of mental processes. When the pathological state becomes more massive - week (or unsignificant) stimuli evoke even stronger reactions than the strong (or significant) ones and the selectivity of psychological processes with a dominance of the most important connections which is needed for a well organized naming process is fully destroyed (3).

Similar changes are observed in the plasticity of nervous processes: an easy blocking of former links of psychological process, which is easy for a normal plasticity of the nervous system, becomes severely deranged in pathological states, and a pathological inertia of the formes traces (or perseveration) can be observed. That hinders the normal selectivity of psychological processes as well, and the naming process can acquire new difficulties (4).

Of a highest importance is the fact that these pathological states can have as well a general charactes (which is typicall for lesions of the deep parts of the brain), as well as a partial or regional characts - when the pathological process is situated

in the cortical zones of the brain. In these last cases a loss of selectivity of psychological processes can be limited by certain specific forms of functions, - and just these cases are of the highest importance for the appearance of special kinds of naming defects.

2. Basic types of naming defects and "amnestic aphasia"

There are different defects underlying naming disterbances in differently localized brain lesions.

At least two groups of such disturbances can be mentioned. The first group has as a ground defects of sellectivity of sensory-motor (modality-specific) processes and the process of naming is disturbed in its input or output. In the second group disturbances of selectivity are of a higher level and the semantic organization of the process of choice of the propper word can become highly difficult.

Let us discuss these basic groups separately.

At the very beginning of the study of aphasia Wermicke (5) and then P.Marie and Foix (6) supposed naming disturbances are only results of some defects of sensory traces or of "acoustic images of words". This idea was adequate for some forms of naming disturbances observed in cases of so-called sensory (or acoustico-gnostic) aphasia. Further investigations (7,8,9) showed that even these disturbances were of a much more complicated type and that the underlying mechanisms are not simple "trace decay", but that they rather are some basic disorders of phonematic organization of the word perception. The loss of

selectivity in these cases are seen in a # loss of selectivity of the "correlated" phonemes which result in a certain "alilnation of word meaning" which is typical for sensory aphasia.

It is obvious that patients of this group become unable to final propper words because the choice of selective phonemes is disorganised and different phonemes are evoked with equal probability and litteral paraphasias appear. It is obvious as well that every attemt to help the patient, giving him the first syllable of the word does not bring to any results. This is the picture of the sensory disturbances in word finding we have described elsewhere (10,11).

The second form of naming disturbances included in the first basic group appear in pathological states of the left post central (kinesthatic) parts of the cortex associated with a loss of selectivity in the articulatory system. On these cases selectivity of appearance of the needed "articulemes" is highly deranged, different (kinestetically similar) articulemes (such as palato—labial l-n-d) are evoked with equal probability, and naming becomes difficult — in these cases for a different reasons. These cases are sometimes called "phonematic desintegration of speech" of the French authors (12,13,14) and the disorders underlying naming defects are different.

The second basic group of naming defects was described as a "primarely" or "pure" amnestic aphasia by K.Goldstein (15,16), H.Head (17) et al.

In this group lesions of the tertiary (parieto-occipital)
parts of the left speech areas do not result in sensory or motor

defects and the input and output of speech processes are preserved. The basic symptoms in all these cases is a disturbance of fineling propper names of objects. Patients preserve their fluent speech with excellent prosodic, infonational and syntactic structure, but they are unable to recall the words needed and eather show a total inability of naming objects or begin to try to find the word needed and instead of adequate naming of the object give a series of paraphasias which are mostly of a "verbal" characters (18,19,20). The "tip of tongue phenomenon" is easily observed in these cases, and instead of naming "a pencil" the patient can say "Oh ... a boy ... Oh, no ... a school ... oh, no ... to write ... it is necessary for writing a lester ... " etc. Sometimes they replace the word needed by another word which is similar in morphological structure (saying "cup-board" instead of "ink-stead") etc. It is very typical that a slight help such as telling the first syllable of the word provides a good effect and the patient remembers the adequate word very easily. That is why this type of an "amnestic aphasia" was considered as a pure type of that disorder.

Two hypotheses were proposed to explain this basic symptom.

One part of the man authors tried to understand these

defects as a result of a partial loss of verbal memory traces;

the second - as an intellectual defect - a disturbance of an abstract "cathegorial" attitude.

Both he eotheses are hardly acceptable.

Observations of the verbal behavior of patients of this group show that the defects observed are not aloss of the word needed but rather a defect of choice among a whole complex of

words which are coming in mind of the patient, an impossibility to select the word needed from a great amount of designation which are adsociated with the adequate word acoustically, morphologically or semantically and which are evoked in equal probability. Very often patients of this group can evoke abstract and too generalized designations (such as "a bird", "a flying animal" instead of "a sparrow" or as "an animal...", "a house animal" instead of "a Ritten"). No loss of words or abstract attitude, but rathes a struggle of a large amount of different alternatives take place and the patient becomes unable to make a propper decision.

Careful analysis shows that at least two defects can be singled out as mechanisms underlying this symptom.

One is of an optico gnostic, the second - of a pure semantic type. The first of these mechanisms was carefully studied by our collaborator Dr. L.S. Tsvetkova.

As it was shown by L.S.Tsvetkova and has collaboration (21,22) patients with lesions of the left parieto-occipital zones of the cortex and with troubles of naming have as well some slight defects of optical images of the objects. If they are given an uncomplete scheme of an animal and asked to accomplish this scheme so that the drowing will be the image of a cock or a hen, a rabbit or a cat, - they are unable to do it, and it is seen that the process of singling out optical cues decisive for such a task is severely impaired. As it was shown - the same patients are unable to decide whether the schematical drowing given is that of a cat or a rabbit (21).

These defect of visual imagery due to equalization of all visual cues result in a difficulty to single out the decisive

optical cue of the object and it is the defect of well organized optical image, which, according to modern views is necessary for the process of decision, making (23) - which is deranged in these cases.

Thus - in this first group of patients naming defects can be a result of a slight deterioration of optical gnosis which is an important basis of every object naming.

In the second group of patients with naming defects optical gnosis can be preserved but a severe deterioration of the higher processes involved in the finding of the propper word.

As we have already mentioned not a loss of the propper word but rather a struggle between a complex of alternative designating, which are evoked with equal probability is observed in these cases. These probabilities can be of different kinds. Sometimes designations of single properties are evoked, and the patient trying to find the word "kitten" is saying: "This small thing...", "this furror...", "it deals with mouses", "it plays", "it has claws..."; sometimes a word with a phonetic or morphological similarity (as "bitten...", "hitten" etc.) is reproduced, - and this amount of designations evoked with equal probability hinders to final the word needed.

These cases are observed in pathological states of the tertiary zones of the posterior parts of speech areas (temporo-parietal associative zones), and it can be supposed that a certain stage of equalization of the excitability of the whole net of connections, which are evoked of the complex semantic matrix of the word is the basic physiological defect underlying this kind of troubles of object naming.

Of course this hypeothesis has to be proven and special

series of experiments are needed to decide whethes the mechanism we mentioned is probable.

We have to make a last step and to mention one more form of the naming defects which appear in local lesions of the human cortex.

All types of naming disturbances we described are associatly with some organization of codes (phonetic, articulatory or semantic). They all appear in lesions of the posterior parts of the speech areas and they all are of a "paradigmatic" type.

A fully different kind of defects is seen in lesions of the anterior parts of the speech zones.

In these kinds the paradigmatic organization of the speech processes remains preserved and no defects neither in singling out cues needed nor in their organization in a system of codes is seen. Therefor - these patients have no "similarity defects" and no defects of immediate naming of objects is observed.

The defects observed in these cases are of a different types: fluent sequential organization of speech processes becomes defective, "syntagmatic" organization of propositional speech i.e. of construction of fluent sentences) is observed (7,24,25). That is why difficulties of naming can appear, but in these cases disturbances of naming appear in the fluent, synhagmatically organized speech, and are not observed in immediate naming of isolated objects. We do not yet know the neuropsychological mechanisms underlying these defects and we can only suppose that they are closely associated with a derangement of the inner speech which is an important mechanisms for a generating of

whole phrases and that the word finding is disturbed in these cases as a result of a certain breakdown of the "linear scheme of the phrase". We tried to discuss this process in a special paper (26) and we shall not dwell here on this very important problem. We are sure that further studies will help us to describe the mechanisms underlying this defect and to find objective cues which discern this kind of naming defects from these we have already described.

The basic purpose of this short communication was to shaw that the process of naming has a very complex psychological structure and that the naming disturbances associated with "amnestic aphasia" can have a very different nature due to different underlying mechanisms.

We can only hope that further studies will bring our science to a better understanding of these mechanisms and that neuropsychology will be able to come to a scientifically analysis of naming defects and of the syndrome of the "amnestic aphasia".

September 1972